


Leica Cyclone MODEL 7.3

Processing Laser Scans into Deliverables

The meshed ground surface is shown displayed with colors mapped by elevation.

A detailed plant model is integrated with structure and ground surface models.



Users can easily model buildings, roads, structures, bridges, light poles, etc.

For civil, plant, architectural and other 2D & 3D projects

Unmatched versatility and performance help make Leica Cyclone MODEL the industry's most popular standalone software for analyzing rich, laser scan data and converting the data into deliverables.

Among its advantages, Cyclone MODEL boasts powerful visualization & point cloud navigation plus the industry's most complete tool set. These tools cover a wide range of High-Definition Surveying™ (HDS™) applications in engineering, construction, asset management, heritage, forensics, and other areas.

Cyclone MODEL provides unmatched office productivity, automating many time-consuming tasks and even letting

multiple users work on the same data sets simultaneously – thanks to Cyclone's Object/Database foundation. Finally, Cyclone MODEL reflects the data quality & accuracy-consciousness advantages that users worldwide expect from Leica Geosystems.


Features and Benefits

- Multiple, fast, convenient visualization modes
- Texture mapping and rectified orthophotos
- Plant & building tools include:
 - Best-fit modeling, catalog fitting, clash detection
 - Automated pipe run, intelligent modeling
- Civil & related tools include:
 - Data collector emulation, contours and cross sections
 - TIN/mesh creation, volumes, areas, clearances
- Full set of import/export utilities


- when it has to be **right**

Leica
Geosystems

Leica Cyclone MODEL 7.3



The automated "Pipe Run" feature lets users select points on connected, straight pipe sections and the system automatically models a best fit pipe run with elbows in seconds.



Ground surface TINs and other meshes are easily created and offer great value. Here is an automated report analyzing cut and fill quantities using "before-and-after" scan data of a ground surface.

Efficient Point Cloud Manipulation & Navigation

Leica Cyclone has many features that let users work efficiently with rich laser scan data sets. Cyclone's Level of Detail (LOD) graphics display and visualization modes allow users to "see through" walls, apply shaded rendering, or enhance edges for improved comprehension of dense point clouds. Texture mapping tools allow users to accurately "drape" photos of the scanned scene onto point clouds for an even more realistic viewing experience. Cyclone MODEL's friendly key plan and TruSpace panoramic viewing modes provide intuitive navigation and viewing options.

High-Performance Modeling for a Wide Range of Applications

Accurately model a selected geometry type, such as pipes, planes, and topographic surfaces. Least-squares fitting and quality-of-fit statistics ensure reliable results, while Cyclone's advanced memory management provides high performance.

Wealth of Plant & Structure-specific Tools

Continuous pipe runs, including elbows, can be modeled automatically. Leica Cyclone MODEL's Piping Mode even lets plant designers add intelligent piping data including specification, line ID, insulation thickness and SKEYs. Validation of proposed design models – including clash detection – can be done within Leica Cyclone or via export to popular plant design applications.

Rich Tool Set for Civil, Architectural and Other Applications

For excavation and grading, Surface Deviation tools provide accurate quantity calculations. Volume and area for cut and fill are precisely calculated. Output options include volumes, contours, and/or tables including elevation differences at a user-specified grid sample. A Clearance tool even finds and reports absolute minimum vertical and horizontal clearances for overpasses, bridges, interchanges, and overhead sign structures. A Virtual Surveyor tool emulates a data collector for creating topographic maps.

Leica Geosystems HDS Software Family

Cyclone MODEL is part of a full software family for managing laser scan data. Check the web address below for additional information.

Leica Cyclone MODEL 7.3 Specifications*		Hardware and System Requirements
Survey	Includes all functionality of Cyclone SURVEY	Minimum Specifications
Large point cloud mgt	3D limit boxes, slices, interactive visualization of massive data sets Cyclone Object Database Technology: fast efficient point cloud mgt.	Processor: 2 GHz Dual Core processor or better RAM: 2 GB (4 GB for Windows Vista or Windows7)
Visualization	Full 3D fly, pan, zoom, rotate. Control color mapping using intensity, true-color, gray scale, color by elevation, one-sided (front or back), silhouette (enhanced edges). Map external photos to point cloud. Key plan and panoramic viewing.	Hard Disk: 40 GB Display: SVGA or OpenGL accelerated graphics card (with latest drivers)
3D Modeling	Least-squares fitting of 3D geometry. User defined error tolerance. Statistical QA reports. Fit cloud to standard object tables items, AISC steel, ASME pipe, user defined tables.	Operating system: Windows XP (SP2 or higher) (32 or 64), Microsoft Vista or Windows7 (32 or 64) File System: NTFS
Piping tools	Embed attribute info Line-ID, Spec, SKEY. Fit flange and tie point, automated pipe run with elbows.	Recommended Specifications
Animation	Create fly-through animations of 3D point clouds and models	Processor: 2.5 GHz Dual Quad Core i7 or higher
COE	Seamless two-way data integration with AutoCAD and MicroStation	RAM: 4 GB for 32 bit OS and 8 gb's or more 64 bit OS
Import	Data from CAD via COE (Cyclone Object Exchange) Control data from ASCII formats & X-Function DBX	Hard Disk: 1 TB SATA
Export	Point data in standard formats: XYZ, PTS, PTX, DXF, X-Function DBX, Land XML, etc. Point data in special formats: ZFS, TOPO pci & cwf Image and model data: COE, BMP, JPEG, TIFF	Large project disk option: RAID 5, 7, or 10 with SSD drives Display: Nvidia GeForce250 or ATI 6850 or better, with at least 1 GB memory Operating system: Microsoft Windows7 64 bit File System: NTFS

Windows is a registered trademark of Microsoft Corporation. Other trademarks and trade names are those of their respective owners.

Illustrations, descriptions and technical data are not binding. All rights reserved. Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2011. 755759en – IX.11 – RDV

* This feature only available for scanners with internal cameras.

** Reference the Leica Cyclone 7.3 Technical Specifications document for a complete listing of product specifications.

*** Some systems may not support Windows Vista's Desktop Windows Manager (DWM) with Leica Cyclone and must be operated in Windows Classic Look.

**** Only supported with Windows XP operating system

Leica Geosystems AG
Heerbrugg, Switzerland

www.leica-geosystems.com/hds

- when it has to be **right**

Leica
Geosystems